



# RED LINE 80W250 GL-5 GEAR OIL



- Recommended for SAE 250 or where SAE 140 does not provide adequate protection
- Alternative to Red Line Heavy ShockProof® in problem Nitro Drag Race Vehicles
- Can be used in Model A, Model T vehicles and Antique/Classic cars calling for 600W
- Reduces noise levels in Morgan 3 Wheeler bevel boxes
- Excellent for off road use where SAE 250 is required

## RECOMMENDED FOR:

API GL-5  
Model A / Model T  
Classic/Antique Cars Calling For 600W  
SAE 250  
ISO VG 460  
AGMA 7EP

## TYPICAL PROPERTIES:

|                                |             |
|--------------------------------|-------------|
| API Service Class              | GL 5+       |
| SAE Viscosity Grade (Gear Oil) | 80W250      |
| Vis @ 100°C, cSt               | 51.6        |
| Vis @ 40°C, cSt                | 500         |
| Viscosity Index                | 165         |
| Brookfield Viscosity, Poise    | 1150 @-26°C |

## PACKAGE SIZES:

58605 - 80W250 GL-5 Gear Oil - 1 gallon

## ABOUT RED LINE GEAR OIL FOR DIFFERENTIALS

- Full-synthetic formulas created from polyol ester base stocks, offer excellent lubrication under extreme conditions
- High viscosity-index (VI) to provide relatively constant viscosity and film thickness with varying temperature change
- Ester base stocks and friction modifiers provide additional slipperiness to lower operating temperatures by reducing the sliding friction in hypoid gears
- Superior shear stability and reduced oxidation compared to other synthetics and conventional gear oils
- Exceed API GL-5 specifications
- Engineered to provide the highest degree of protection and improvement of differential efficiency for better mileage, longer drain intervals and less wear

For health safety information, please refer to the [Safety Data Sheet](#) at REDLINEOIL.COM