



Safety Data Sheet

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

Date of Issue 26.12.2017

Revised Sections: 2,11

Revision 01

Section 1 - Chemical Product and Company Identification

1.1 Product Identifier

Product Name: **Octanium**

EC No: Blend

REACH registration number: The pre-registration process entitles VP Racing Fuels Inc. to use the transitional periods stipulated in the REACH regulation until May 31, 2018.

CAS No: Blend®

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Octane Booster Is for Gasoline Engines

Uses advised against: **THIS OCTANE BOOSTER IS FOR GASOLINE ENGINES ONLY**

1.3 Details of the supplier of the safety data sheet:

VP Racing Fuels, Inc

7124 Richter Road

Elmendorf, TX. 78112

210.635.7744

E-mail: Compliance@vpracingfuels.com

1.4 Emergency Telephone Numbers:

CHEMTREC 800-424-9300

International Emergency Telephone Number: +1-703-527-3887

1.4 Emergency Telephone Continued:

| EUROPE | | | |
|----------------------------------|--------------------|----------------|----------------------------------|
| CHEMTREC Austria (Vienna) | +(43)-13649237 | | German |
| CHEMTREC Belgium (Brussels) | +(32)-28083237 | | French, Flemish, German |
| CHEMTREC Bulgaria (Plovdiv) | +(359)-32570104 | | Bulgarian |
| CHEMTREC Croatia (Zagreb) | +(385)-17776920 | | Croatian |
| CHEMTREC Czech Republic (Prague) | +(420)-228880039 | | Czech |
| CHEMTREC Denmark | +(45)-69918573 | | Danish |
| CHEMTREC Estonia | +(372)-6681294 | | Estonian |
| CHEMTREC Finland (Helsinki) | +(358)-942419014 | | Finnish |
| CHEMTREC France | +(33)-975181407 | | French |
| CHEMTREC Germany * | | 0800-181-7059 | German |
| CHEMTREC Germany (Frankfurt) | +(49)- 69643508409 | | German |
| CHEMTREC Greece (Athens) | +(30)-2111768478 | | Greek |
| CHEMTREC Hungary (Budapest) | +(36)-18088425 | | Hungarian |
| CHEMTREC Ireland (Dublin) | +(353)-19014670 | | English and Irish |
| CHEMTREC Italy * | | 800-789-767 | Italian |
| CHEMTREC Italy (Milan) | +(39)-0245557031 | | Italian |
| CHEMTREC Latvia (Riga) | +(371)-66165504 | | Latvian |
| CHEMTREC Lithuania (Vilnius) | +(370)-52140238 | | Lithuanian |
| CHEMTREC Luxembourg | +(352)-20202416 | | French, German, Luxembourgish |
| CHEMTREC Netherlands | +(31)-858880596 | | Dutch |
| CHEMTREC Norway (Oslo) | +(47)-21930678 | | Norwegian |
| CHEMTREC Poland (Warsaw) | +(48)-223988029 | | Polish |
| CHEMTREC Portugal | +(351)-308801773 | | Portuguese |
| CHEMTREC Romania | +(40)-37-6300026 | | Romanian |
| CHEMTREC Russia * | | 8-800-100-6346 | Russian |
| CHEMTREC Serbia †† | N/A | N/A | Serbian |
| CHEMTREC Slovakia (Bratislava) | +(421)-233057972 | | Slovak |
| CHEMTREC Slovenia (Ljubljana) | +(386)-18888016 | | Slovene/Slovenian |
| CHEMTREC Spain * | | 900-868538 | European Spanish |
| CHEMTREC Spain (Barcelona) | +(34)-931768545 | | European Spanish |
| CHEMTREC Sweden (Stockholm) | +(46)-852503403 | | Swedish |
| CHEMTREC Switzerland (Zurich) | +(41)- 435082011 | | Swiss German, French and Italian |
| CHEMTREC Turkey (Istanbul) | +(90)-212-7055340 | | Turkish |
| CHEMTREC Ukraine | +(380)-947101374 | | Ukrainian |
| CHEMTREC UK (London) | +(44)-870-8200418 | | English |

*Phone numbers for countries marked with an asterisk must be dialed within the country

Phone numbers for countries marked with an asterisk must be dialed within the country.

† Phone numbers marked with a double dagger have a DID and greeting ONLY supplied by CHEMTREC

Section 2 - Hazards Identification

2.1 Classification of the blend

Classification according to Regulation EU) No 1272/2008

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

| | | |
|---|-------------|------|
| Highly Flammable liquid/vapor | Category 2 | H225 |
| Aspiration Hazard | Category 1 | H304 |
| Eye Irritation | Category 2A | H319 |
| Skin Irritation | Category 2 | H315 |
| Specific Target Organs toxicity single exposure | Category 3 | H336 |
| Specific Target Organs repeated exposure | Category 1 | H372 |
| Acute Toxicity (Oral) | Category 4 | H302 |
| Acute Toxicity (Inhalation) | Category 4 | H332 |
| Reproductive Toxicity | Category 2 | H360 |
| Toxic to aquatic life with long lasting effects | Category 2 | H411 |

Additional Information: For full text of H and P codes see sections 2.2 2.3,16

2.2 Pictograms



Signal Word: **Danger!**

Hazard statements

H225: Highly flammable liquid and vapor
H302: Harmful if swallowed
H304: May be fatal if swallowed and enter the airway
H312: Harmful in contact with skin
H315: Causes skin irritation
H319: Causes serious eye irritation
H332: Harmful if inhaled
H336: May cause drowsiness or dizziness
H360: May damage fertility or the unborn child
H372: Causes damage to organs through prolonged or repeated exposure
H411: Toxic to aquatic life with long lasting effects

Precautionary statements:

P102: Keep out of reach of children
P201: Obtain special instructions before use. READ SDS BEFORE USE
P202: Do not handle until all safety precautions have been read and understood
P210: Keep away from sparks and open flames- No smoking
P240: Ground or bond container and receiving equipment

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

P241: Use explosion-proof equipment
P242 Use only non-sparking tools
P243 Take precautionary measures against static discharge
P260: Do not breathe vapors
P264: Wash hands thoroughly after handling
P270: Do not eat, drink or smoke when using this product
P271: Use only outdoors or in well ventilated area
P273: Avoid release to the environment
P280: Wear protective gloves, clothing and eye protection

Supplemental hazard information:

P301 +P310+ P331: IF SWALLOWED: Immediately call poison center or doctor.DO NOT induce vomiting

P303+P361+353: IF ON SKIN Take off immediately all contaminated clothing. Rinse skin with water

P304+P340: IF INHALED. Remove to fresh air and keep comfortable for breathing

P305+P351: IF IN EYES rinse cautiously with water for at least 15 minutes

P308+P313: If exposed or concerned get medical attention

P362+P364: IF ON CLOTHING, take off contaminated clothing and wash it before reuse

P313+P332+P337: If skin or eye irritation persists get medical attention

H314: Get medical attention if you feel unwell.

P330: Rinse mouth

2.3 Other hazards:

P370: In case of fire use foam, carbon dioxide, dry chemical to extinguish fire

P376: Stop leaks if safe to do so

P403+P405+P235: Store in a well-ventilated place, store locked up and keep cool

P501: Dispose of content and/or container in accordance with local, regional, national or international regulations

Section 3 - Composition / Information on Ingredients

3.1 Substances

| Chemical Names | Index No. | EC No. | REACH No. | CAS No | Percent |
|--|-------------|-----------|-----------|------------|---------|
| Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20 | N/A | N/A | N/A | N/A | 95-97% |
| 2-Methyl-2-ethoxypropane | None Listed | 235-166-5 | | 12108-13-3 | 3-5% |

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

3.2 Blend

| Chemical Names | Index No. | EC No. | REACH No | CAS No |
|---|--------------|-----------|----------|------------|
| 2, 2, 4-Trimethylpentane | 601-009-00-8 | 208-759-1 | | 540-84-1 |
| Phenylmethane | 601-021-00-3 | 203-625-9 | | 108-88-3 |
| Petroleum Distillates Hydrotreated Light | 649-422-00-2 | 265-149-8 | | 64742-47-8 |
| Heavy aromatic naphtha | 649-424-00-3 | 265-198-5 | | 64742-94-5 |
| Naphthalene | 601-052-00-2 | 202-049-5 | | 91-20-3 |
| Mesitylene | 601-025-00-5 | 203-604-4 | | 108-67-8 |

NOTE: This blend contained $\leq 0.3\%$ Tetraethyl plumb CAS Number 78-00-2. All the associated physical and health hazards have been addressed in this SDS.

The transition period according to REACH Regulation, article 23 has not yet expired.

3.3 Trade Secret Provision and Chemical Concentration Disclosure: In accordance with OSHA and GHS Regulations we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a blend and are applicable to the hazards as identified in this Safety Data Sheet.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Following Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

Following Skin contact: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

Following eye contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Following ingestion: Do NOT induce vomiting. Get medical aid immediately.

4.2 Most important symptoms and effects, both acute and delayed: The severity of outcome following an exposure may be more related to the time between the exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

4.3 Indication of any immediate medical attention and special treatment needed: Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or +1-703-527-3887. We will require a written statement of need and confidentiality agreement, in accordance with OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will upon written request disclose a specific chemical identity.

Section 5 - Fire-Fighting Measures

5.1 Extinguishing media: Carbon dioxide, dry chemical, foam. Use water to cool containers exposed to fire

5.2 Special hazards arising from the substance or mixture: Avoid fumes of burning product.

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

5.3 Advice for fire-fighters: Fire fighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Fire fighters should avoid inhaling any combustion products.

Additional information: Do not release runoff from fire to sewers or waterways.

Section 6 - Accidental Release Measures

6.1 Spill /Leak Procedures: Ventilate area highly flammable. Spillages of liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

6.2 Spills: Avoid direct contact with material. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth and place in a container for disposal.

Section 7 - Handling and Storage

7.1 Precautions for safe handling: Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin or clothing. Keep container tightly closed. Avoid inhalation.

7.2 Conditions for safe storage, including any incompatibilities: Store in a tightly closed container in a cool, dry and well-ventilated area.

7.3 Specific end use(s): Octane Booster Is for Gasoline Engines

Section 8 - Exposure Controls / Personal Protection

8.1 Exposure limit values

| Chemical Names | ACGIH- TLV 2017 | National Exposure Limits (OEL) |
|---|--------------------------|---|
| Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20 | 10 ppm TWA | 10 ppm 8 hrs. /20 Short term 15 min. |
| MMT | 0.2mg/m ³ TWA | 5 ppm 8 hrs. |
| Tetraethyle plumb | 0.1mg/m ³ | 0.5mg/m ³ / 0.10mg/m ³ Short term 15 min. |

8.2. Exposure control

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs Local exhaust ventilation are preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Contaminated Equipment: Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

Individual protection measures

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact

with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

Viton is a Registered Trademark of DuPont Company

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Impervious clothing, flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Thermal Hazards: Combustion produces carbon monoxide and carbon dioxide.

Environmental exposure controls: Follow instructions as given above.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical State: Liquid

Appearance: Various

Odor: Aromatic Gasoline Odor

Vapor Pressure: 141mmHg@21°C

Vapor Density (Air=1): 3.9

Specific Gravity (H₂O=1,): 0.86

Relative Density: Not Available

Odor Threshold: Not Available

Flammability (solid, gas): Not applicable.

Evaporation rate: Not Available

Partition coefficient octanol/water: Not Available

Water Solubility: Insoluble

Flash Point: -5.5°C closed cup

Boiling Point/Range: 98°

Lower Explosive Limits (vol % in air): 1%

Upper Explosive Limits (vol % in air): 8%

Melting Point: Not Available

Viscosity: Not Available

Auto ignition Temperature: Not Available

Decomposition temperature: Not Available

pH: None

9.2 Other information: No data available

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

Section 10 - Stability and Reactivity

10.1 Reactivity: The product is reactive with the incompatible materials (please refer section 10.5).

10.2 Chemical stability: Stable under ordinary conditions of use and storage.

10.3 Possibility of hazardous reactions: Hazardous polymerization has not been reported.

10.4 Conditions to avoid: Avoid heat, sparks open flames and other ignition sources

10.5 Incompatible materials: Strong oxidizing agents

10.6 Hazardous decomposition products: Combustion produces carbon monoxide and carbon dioxide.

Section 11- Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

| Product Name | Results | Species | Dose | Exposure |
|--|-----------------|---------|-------------|-------------|
| Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20 | Oral LD50 | Rat | <2000 mg/kg | None Listed |
| Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20 | Inhalation LD50 | Rat | ≤20.0 mg/l | None Listed |
| MMT | Oral LD50 | Rat | <2000 mg/kg | None Listed |
| MMT | Inhalation LD50 | Rat | ≤20.0mg/l | None Listed |
| Tetraethyle plumb | Oral LD50 | Rat | 14.18 mg/kg | None Listed |

Route of Entry: Inhalation, Ingestion, Absorption, Skin and/or Eye Contact

Oral Toxicity: OECD Guideline 401 Tests results found in the European Chemical Agency Data Base shows that components of this product to be Harmful Oral Toxicity.

Inhalation Toxicity: Harmful if inhaled. OECD Guideline 403 Tests results found in the European Chemical Agency Data Base shows that components of this product to be Harmful Inhalation Toxicity.

Aspiration Hazard: European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters airways.

Mutagenicity: OECD Guideline 476 Tests results found in the European Chemical Agency Data Base show no components of this product to cause genetic defects.

Skin Corrosion/Irritation: OECD Guideline 404 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

Serious Eye Damage/Irritation: OECD Guideline 405 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

Reproductive toxicity: OECD Guideline 421 Tests results found in the European Chemical Agency Data Base show components of this product to cause damage to fertility or the unborn child.

Skin Sensitisation OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause skin sensitivity.

Respiratory Sensitisation OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause respiratory sensitivity.

Specific Target Organ Toxicity (Single Exposure): European Chemical Agency Data Base shows that components of this product may cause damage to the central nervous system (CNS).

Specific Target Organ Toxicity (Repeated Exposure): Contains material which may cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

Signs and Symptoms: Effects due to exposure may include: Headache, Dizziness, Drowsiness, Metabolic Acidosis, Coma, Seizures. Symptoms may be delayed

Carcinogenicity: OECD Guideline 453 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause cancer.

Section 12 - Ecological Information

12.1

| Product Name | Results | Species | Exposure |
|--|---|---------|----------|
| Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20 | Expected to be toxic to aquatic organisms which will cause long-term adverse effects in the environment | | |
| MMT | Very toxic to aquatic organisms | | |
| Tetraethyle plumb | LC50 0.23 mg/l | Fish | 96 hours |

12.2 Mobility in soil: Inconclusive technical data.

12.3 Persistence/degradability: Inconclusive technical data.

12.4 Bioaccumulation: Inconclusive technical data.

12.5 Results of PBT and vPvB assessment: Inconclusive technical data.

12.6 Other adverse effects: Inconclusive technical data.

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

Other information: No data found

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! Container should be completely emptied prior to discard. Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Section 14 - Transport Information

14.1 ADR/RID Transport Information



ID No.: UN 3295
Shipping Name: Hydrocarbons, liquid, n.o.s.
Hazard Class: 3
Packing Group: II
Flash Point: -12 °C - closed cup
Marking: Marine Pollutant 2, 2, 4-Trimethylpentane
Label: Flammable
Placard: Flammable
Classification Code: F1

14.2 IMDG Transport Information




ID No.: UN 3295
Shipping Name: HYDROCARBONS, LIQUID, N.O.S.
Hazard Class: 3
Packing Group: II
Flash Point: -5.5 °C - closed cup
EmS Number: F-E, S-D
Marking: Marine Pollutant 2, 2, 4-Trimethylpentane
Label: Flammable
Placard: Flammable




Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008



14.3 ADR/RID Transport Limited Quantity

Inner packaging not over
1.0L (0.3 gallons) net capacity each.
Outer Package not over 30kg (66lbs) each



14.4 IMDG Transport Limited Quantity

Inner packaging not over 1.0L (0.3 gallons) net capacity each.
Outer Package not over 30kg (66lbs) each
ID No.: UN 3295
Shipping Name: HYDROCARBONS, LIQUID, N.O.S.LTD.QTY.
Hazard Class: 3
Packing Group: II
Flash Point: (-12° C c.c.)
EmS Number: F-E, S-D

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance: No information available.

15.1.1 EU regulations: All substances contained in this product are listed on the EU directives or are not required to be listed.

15.2 Chemical safety assessment: For this substance, a chemical safety assessment is not required.

Section 16 - Other Information

16.1 This safety data sheet is drawn up to comply with the requirements Commission Regulation (EU) No 830/2015 of 28 May 2015.

16.2 Key or legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning international carriage of Dangerous goods by Road
UN: The United Nations
CAS: Chemical Abstracts Service
EC: European Community
H: Hazard Statement
P: Precautionary statements

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

IMDG: International Maritime Dangerous Goods

16.3 Key literature references and sources for data: CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base and MSDS and SDS of chemicals in this mixture.

16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]: See SECTION 2.1 (classification).

16.5 Relevant H and P Codes (number and full text):

Hazard statements

H225: Highly flammable liquid and vapor

H302: Harmful if swallowed

H304: May be fatal if swallowed and enter the airway

H312: Harmful in contact with skin

H315: Causes skin irritation

H319: Causes serious eye irritation

H332: Harmful if inhaled

H336: May cause drowsiness or dizziness

H360: May damage fertility or the unborn child

H372: Causes damage to organs through prolonged or repeated exposure

H411: Toxic to aquatic life with long lasting effects

Precautionary statements:

P102: Keep out of reach of children

P201: Obtain special instructions before use. READ SDS BEFORE USE

P202: Do not handle until all safety precautions have been read and understood

P210: Keep away from sparks and open flames- No smoking

P240: Ground or bond container and receiving equipment

P241: Use explosion-proof equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P260: Do not breathe vapors

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P271: Use only outdoors or in well ventilated area

P273: Avoid release to the environment

P280: Wear protective gloves, clothing and eye protection

Supplemental hazard information:

P301 +P310+ P331: IF SWALLOWED: Immediately call poison center or doctor.DO NOT induce vomiting

P303+P361+353: IF ON SKIN Take off immediately all contaminated clothing. Rinse skin with water

P304+P340: IF INHALED. Remove to fresh air and keep comfortable for breathing

P305+P351: IF IN EYES rinse cautiously with water for at least 15 minutes

P308+P313: If exposed or concerned get medical attention

P362+P364: IF ON CLOTHING, take off contaminated clothing and wash it before reuse

P313+P332+P337: If skin or eye irritation persists get medical attention

H314: Get medical attention if you feel unwell

P330: Rinse mouth

Octanium

Compliant with Regulation (EU) No 830/2015
Compliant with CLP Regulation (EU) No 1272/2008

Other hazards:

P370: In case of fire use foam, carbon dioxide, dry chemical to extinguish fire

P376: Stop leaks if safe to do so

P403+P405+P235: Store in a well-ventilated place, store locked up and keep cool

P501: Dispose of content and/or container in accordance with local, regional, national or international regulations

16.6 Training advice: None

16.7 Further information: None

Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

Prepared by SJC Compliance Education, Inc
16516 El Camino Real Suite 417
Houston, TX 77062
VP@sjcedu.org

