



## Safety Data Sheet

Compliant with Regulation (EU) No 830/2015

Compliant with CLP Regulation (EU) No 1272/2008

Date of Revision 20.12.2017

Revision 1

### Section 1 - Chemical Product and Company Identification

#### 1.1 Product Identifier

**Product Name:** **Cetanium**

**EC No:** Blend

**REACH registration number:** The pre-registration process entitles VP Racing Fuels Inc. to use the transitional periods stipulated in the REACH regulation until May 31, 2018.

**CAS No:** Blend

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Diesel Fuel Additive

Uses advised against: **THIS ADDITIVE IS FOR DIESEL FUEL USE ONLY!**

#### 1.3 Details of the supplier of the safety data sheet:

VP Racing Fuels, Inc  
7124 Richter Road  
Elmendorf, TX. 78112  
210.635.7744

E-mail: [Compliance@vpracingfuels.com](mailto:Compliance@vpracingfuels.com)

#### 1.4 Emergency Telephone Numbers:

**CHEMTREC 800-424-9300**

**International Emergency Telephone Number: +1-703-527-3887**

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

## 1.4 Emergency Telephone Continued:

EUROPE			
CHEMTREC Austria (Vienna)	+(43)-13649237		German
CHEMTREC Belgium (Brussels)	+(32)-28083237		French, Flemish, German
CHEMTREC Bulgaria (Plovdiv)	+(359)-32570104		Bulgarian
CHEMTREC Croatia (Zagreb)	+(385)-17776920		Croatian
CHEMTREC Czech Republic (Prague)	+(420)-228880039		Czech
CHEMTREC Denmark	+(45)-69918573		Danish
CHEMTREC Estonia	+(372)-6681294		Estonian
CHEMTREC Finland (Helsinki)	+(358)-942419014		Finnish
CHEMTREC France	+(33)-975181407		French
CHEMTREC Germany *		0800-181-7059	German
CHEMTREC Germany (Frankfurt)	+(49)- 69643508409		German
CHEMTREC Greece (Athens)	+(30)-2111768478		Greek
CHEMTREC Hungary (Budapest)	+(36)-18088425		Hungarian
CHEMTREC Ireland (Dublin)	+(353)-19014670		English and Irish
CHEMTREC Italy *		800-789-767	Italian
CHEMTREC Italy (Milan)	+(39)-0245557031		Italian
CHEMTREC Latvia (Riga)	+(371)-66165504		Latvian
CHEMTREC Lithuania (Vilnius)	+(370)-52140238		Lithuanian
CHEMTREC Luxembourg	+(352)-20202416		French, German, Luxembourgish
CHEMTREC Netherlands	+(31)-858880596		Dutch
CHEMTREC Norway (Oslo)	+(47)-21930678		Norwegian
CHEMTREC Poland (Warsaw)	+(48)-223988029		Polish
CHEMTREC Portugal	+(351)-308801773		Portuguese
CHEMTREC Romania	+(40)-37-6300026		Romanian
CHEMTREC Russia *		8-800-100-6346	Russian
CHEMTREC Serbia ††	N/A	N/A	Serbian
CHEMTREC Slovakia (Bratislava)	+(421)-233057972		Slovak
CHEMTREC Slovenia (Ljubljana)	+(386)-18888016		Slovene/Slovenian
CHEMTREC Spain *		900-868538	European Spanish
CHEMTREC Spain (Barcelona)	+(34)-931768545		European Spanish
CHEMTREC Sweden (Stockholm)	+(46)-852503403		Swedish
CHEMTREC Switzerland (Zurich)	+(41)- 435082011		Swiss German, French and Italian
CHEMTREC Turkey (Istanbul)	+(90)-212-7055340		Turkish
CHEMTREC Ukraine	+(380)-947101374		Ukrainian
CHEMTREC UK (London)	+(44)-870-8200418		English

**\*Phone numbers for countries marked with an asterisk must be dialed within the country**

Phone numbers for countries marked with an asterisk must be dialed within the country.

† Phone numbers marked with a double dagger have a DID and greeting ONLY supplied by CHEMTREC

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

## Section 2 - Hazards Identification

### 2.1 Classification of the blend

Classification according to Regulation EU) No 1272/2008

<b>Flammable liquid/vapor</b>	<b>Category 3</b>
<b>Specific Target Organs toxicity single exposure</b>	<b>Category 3</b>
<b>Specific Target Organs repeated exposure</b>	<b>Category 2</b>
<b>Eye Irritation</b>	<b>Category 2A</b>
<b>Skin Irritation</b>	<b>Category 2</b>
<b>Acute Toxicity (Oral)</b>	<b>Category 4</b>
<b>Acute Toxicity (Inhalation)</b>	<b>Category 4</b>
<b>Acute Toxicity (Dermal)</b>	<b>Category 4</b>
<b>Aspiration Hazard</b>	<b>Category 1</b>
<b>Reproductive Toxicity</b>	<b>Category 2</b>
<b>Mutagenicity</b>	<b>Category 1B</b>
<b>Carcinogenicity</b>	<b>Category 2</b>
<b>Toxic to Aquatic Life Long lasting effects</b>	<b>Category 2</b>

Additional Information: For full text of H and P codes see sections 2.2 2.3,16

### 2.2 Pictograms



Flame

Health hazard

Irritant

Toxic to aquatic life

Signal Word: **Danger!**

#### Hazard statements

H226: Flammable liquid and vapor

H302: Harmful if swallowed

H304: May be fatal if swallowed and enter the airway

H312: Harmful in contact with skin

H315: Causes skin irritation

H319: Causes serious eye irritation

H332: Harmful if inhaled

H336: May cause drowsiness or dizziness

H340: May cause genetic defects

H351: Suspected of causing cancer

H361: Suspected to damaging fertility or the unborn child

H373: Causes damage to organs through prolonged or repeated exposure

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

H411: Toxic to aquatic life with long lasting effects

## Precautionary statements:

P102: Keep out of reach of children  
P201: Obtain special instructions before use. READ SDS BEFORE USE  
P202: Do not handle until all safety precautions have been read and understood  
P210: Keep away from sparks and open flames- No smoking  
P240: Ground or bond container and receiving equipment  
P241: Use explosion-proof equipment  
P242 Use only non-sparking tools  
P243 Take precautionary measures against static discharge  
P260: Do not breathe vapors  
P264: Wash hands thoroughly after handling  
P270: Do not eat, drink or smoke when using this product  
P271: Use only outdoors or in well ventilated area  
P273: Avoid release to the environment  
P280: Wear protective gloves, clothing and eye protection

## Supplemental hazard information

P301 +P310+ P331: IF SWALLOWED: USA Immediately call the National POISON CENTER at **800-222-1222**. OUTSIDE USA Immediately call poison center or doctor. DO NOT induce vomiting  
P303+P361+P353: IF ON SKIN Take off immediately all contaminated clothing. Rinse skin with water  
P304+340: IF INHALED. Remove to fresh air and keep comfortable for breathing  
P305+P351: IF IN EYES rinse cautiously with water for at least 15 minutes  
P308+P313: If exposed or concerned get medical attention  
P362+P364: IF ON CLOTHING, take off contaminated clothing and wash it before reuse  
P313+P332+P337: If skin or eye irritation persists get medical attention  
H314: Get medical attention if you feel unwell  
P330: Rinse mouth

## 2.3 Other hazards

P370: In case of fire use foam, carbon dioxide, dry chemical to extinguish fire  
P376: Stop leaks if safe to do so.  
P403+P405+P235: Store in a well-ventilated place, store locked up and keep cool  
P501: Dispose of content and/or container in accordance with local, regional, national or international regulations.

## Section 3 - Composition / Information on Ingredients

### 3.1 Substances

Chemical Names	Index No.	EC No.	REACH No.	CAS No	Percent
Blend of Hydrocarbon and Normally Organic Compounds	N/A	N/A	N/A	N/A	100%

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

## 3.2 Blend

Chemical Names	Index No.	EC No.	REACH No	CAS No
Diesel Fuel	649-227-00-2	270-676-1		68476-34-6
Nitronal	None Listed	248-363-6		27247-96-7
TOU	None Listed	224-631-8		4431-83-8

*The transition period according to REACH Regulation, article 23 has not yet expired*

**3.3 Trade Secret Provision and Chemical Concentration Disclosure:** In accordance with OSHA and GHS Regulations we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a blend and are applicable to the hazards as identified in this Safety Data Sheet.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

**Following Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

**Following Skin contact:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

**Following eye contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**Following ingestion:** Do NOT induce vomiting. Get medical aid immediately.

**4.2 Most important symptoms and effects, both acute and delayed:** The severity of outcome following an exposure may be more related to the time between the exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

**4.3 Indication of any immediate medical attention and special treatment needed:** Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, in accordance with OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will upon written request disclose a specific chemical identity.

## Section 5 - Fire-Fighting Measures

**5.1 Extinguishing media:** Carbon dioxide, dry chemical, foam. Use water to cool containers exposed to fire

**5.2 Special hazards arising from the substance or mixture:** Avoid fumes of burning product.

**5.3 Advice for fire-fighters:** Fire fighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Fire fighters should avoid inhaling any combustion products.

**Additional information:** Do not release runoff from fire to sewers or waterways.

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

## Section 6 - Accidental Release Measures

**6.1 Personal precautions, protective equipment and emergency procedures:** Ventilate area highly flammable. Spillages of liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

**6.2 Environmental precautions:** Avoid direct contact with material. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers or waterways.

**6.3 Methods and material for containment and cleaning up:** Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth and place in a container for disposal.

**6.4 Reference to other sections:** See section 8.

## Section 7 - Handling and Storage

**7.1 Precautions for safe handling:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin or clothing. Keep container tightly closed. Avoid inhalation.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in a tightly closed container in a cool, dry and well-ventilated area.

**7.3 Specific end use(s):** Racing fuel only

## Section 8 - Exposure Controls / Personal Protection

### 8.1 Exposure limit values

Chemical Names	ACGIH- TLV 2017	National Exposure Limits (OEL)
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	100 mg/m <sup>3</sup> TWA (Inhalable fraction and vapor.)	100 mg/m <sup>3</sup> 8 hrs. (Inhalable fraction and vapor.)

### 8.2. Exposure control

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs Local exhaust ventilation are preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

### Individual protection measures

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection



# Cetanium

**Compliant with Regulation (EU) No 830/2015**  
**Compliant with CLP Regulation (EU) No 1272/2008**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact

with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

Viton is a Registered Trademark of DuPont Company.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Impervious clothing, flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace

**Thermal Hazards:** Combustion produces carbon monoxide and carbon dioxide

**Environmental exposure controls:** Follow instructions as given above.

## Section 9 - Physical and Chemical Properties

### 9.1

**Physical State:** Liquid

**Appearance:** Various

**Odor:** Aromatic Hydrocarbon Odor

**Vapor Pressure:** 141mmHg@21°C

**Vapor Density (Air=1):** 3.9

**Specific Gravity (H<sub>2</sub>O=1,):** Not Available

**Relative Density:** Not Available

**Odor Threshold:** Not Available

**Flammability (solid, gas):** Not applicable.

**Evaporation rate:** Not Available

**Partition coefficient octanol/water:** Not Available

**Water Solubility:** Not Data Available

**Flash Point:** 52°C closed cup

**Boiling Point/Range** 160°C

**Lower Explosive Limits (vol % in air):** .6%

**Upper Explosive Limits (vol % in air):** 7.5%

**Melting Point** Not Data Available

**Viscosity:** Kinematic 1.5- 4.5 mm<sup>2</sup>/s 40 °C

**Auto ignition Temperature:** Not Data Available

**Decomposition temperature:** Not Available

**pH:** None

## Section 10 - Stability and Reactivity

**10.1 Reactivity:** The product is reactive with the incompatible materials (please refer section 10.5).

**10.2 Chemical stability:** Stable under ordinary conditions of use and storage.

**10.3 Possibility of hazardous reactions:** Hazardous polymerization has not been reported.

**10.4 Conditions to avoid:** Avoid heat, sparks open flames and other ignition sources

**10.5 Incompatible materials:** Strong oxidizing agents

**10.6 Hazardous decomposition products:** Combustion produces carbon monoxide and carbon dioxide.

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

## Section 11- Toxicological Information

### 11.1

Product Name	Results	Species	Dose	Exposure
Blend of Hydrocarbon and normally organic compounds	Oral LD50	Rat	1099 mg/kg	None Listed
Blend of Hydrocarbon and normally organic compounds	Inhalation LC50	Rat	4mg/l	4 hours
Blend of Hydrocarbon and normally organic compounds	Dermal LD50	Rabbit	1900 mg/kg	None Listed

**Route of Entry:** Inhalation, Ingestion, Absorption, Skin and/or Eye Contact

**Oral Toxicity:** OECD Guideline 401 Tests results found in the European Chemical Agency Data Base shows that components of this product to be Harmful Oral Toxicity.

**Dermal Toxicity:** OECD Guideline 402 Tests results found in the European Chemical Agency Data Base shows that components of this product to Harmful Dermal Toxicity.

**Inhalation Toxicity:** OECD Guideline 403 Tests results found in the European Chemical Agency Data Base shows that components of this product to be Harmful Inhalation Toxicity

**Aspiration Hazard:** European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters airways.

**Mutagenicity:** OECD Guideline 476 Tests results found in the European Chemical Agency Data Base show components of this product to cause genetic defects.

**Skin Corrosion/Irritation:** OECD Guideline 404 Tests results found in the European Chemical Agency Data Base shows that components of this product will cause skin irritation. Repeated exposure may cause skin dryness or cracking.

**Serious Eye Damage/Irritation:** OECD Guideline 405 Tests results found in the European Chemical Agency Data Base shows that components of this product will cause serious eye irritation.

**Reproductive toxicity:** OECD Guideline 421 Tests results found in the European Chemical Agency Data Base show components of this product to cause damage to fertility or the unborn child.

**Skin Sensitisation** OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause skin sensitivity.

**Respiratory Sensitisation** OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause respiratory sensitivity.

**Specific Target Organ Toxicity (Single Exposure):** European Chemical Agency Data Base shows that components of this product may cause damage to the central nervous system (CNS).



# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

**Specific Target Organ Toxicity (Repeated Exposure):** Contains material which may cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

**Signs and Symptoms:** Effects due to exposure may include: Headache, Dizziness, Drowsiness, Metabolic Acidosis, Coma, Seizures. Symptoms may be delayed.

**Carcinogenicity:** OECD Guideline 453 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause cancer.

## Section 12 - Ecological Information

### 12.1

Product Name	Results	Species	Exposure
Blend of Hydrocarbon and normally organic compounds	Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment		

**12.2 Mobility in soil:** Inconclusive technical data.

**12.3 Persistence/degradability:** Inconclusive technical data.

**12.4 Bioaccumulation:** Inconclusive technical data.

**12.5 Results of PBT and vPvB assessment:** Inconclusive technical data.

**12.6 Other adverse effects:** Inconclusive technical data.

**Other information:** No data found

## Section 13 - Disposal Considerations


**13.1 Disposal: DO NOT REUSE EMPTY CONTAINER!** Container should be completely emptied prior to discard. Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

## Section 14 - Transport Information

### 14.1 IMDG Transport Information



**ID No.:** UN 3295

**Shipping Name:** HYDROCARBONS, LIQUID, N.O.S.

**Hazard Class:** 3

**Packing Group:** III

**Flash Point:** 52 °C - closed cup

**EmS Number:** F-E, S-D

**Marking:** Marine Pollutant Diesel Fuel

**Label:** Flammable

**Placard:** Flammable

### 14.2 ADR/RID Transport Information



**ID No.:** UN 3295

**Shipping Name:** Hydrocarbons, liquid, n.o.s.

**Hazard Class:** 3

**Packing Group:** III


**Flash Point:** 52 °C - closed cup

**Marking:** Marine Pollutant Diesel Fuel

**Label:** Flammable

**Placard:** Flammable

**Classification Code:** F1




# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

## 14.3 ADR/RID Limited Quantity/Consumer Commodity

Inner packaging not over  
1.0L (0.3 gallons) net capacity each.  
Outer Package not over 30kg (66lbs) each



Use marking when shipping as a limited quantity ground in the Canada

## 14.4 IMDG Transport Limited Quantity

Inner packaging not over  
1.0L (0.3 gallons) net capacity each.  
Outer Package not over 30kg (66lbs) each

ID No.: UN 3295

Shipping Name: HYDROCARBONS, LIQUID, N.O.S. LTD.QTY.

Hazard Class: 3

Packing Group: III

Flash Point: (52° C c.c.)

EmS Number: F-E, S-D

## Section 15 - Regulatory Information

**15.1** Safety, health and environmental regulations/legislation specific for the substance: No information available.

**15.1.1 EU regulations:** All substances contained in this product are listed on the EU directives or are not required to be listed.

**15.2** Chemical safety assessment: For this substance, a chemical safety assessment is not required.

## Section 16 - Other Information

**16.1** This safety data sheet is drawn up to comply with the requirements Commission Regulation (EU) No 830/2015 of 28 May 2015.

**16.2** Key or legend to abbreviations and acronyms used in the safety data sheet:

# Cetanium

**Compliant with Regulation (EU) No 830/2015**  
**Compliant with CLP Regulation (EU) No 1272/2008**

ADR: European Agreement concerning international carriage of Dangerous goods by Road  
UN: The United Nations  
CAS: Chemical Abstracts Service  
EC: European Community  
H: Hazard Statement  
P: Precautionary statements  
IMDG: International Maritime Dangerous Goods

16.3 Key literature references and sources for data: CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base and MSDS and SDS of chemicals in this mixture.

16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]: See SECTION 2.1 (classification).

16.5 Relevant H and P Codes (number and full text):

Hazard statements

H226: Flammable liquid and vapor  
H302: Harmful if swallowed  
H304: May be fatal if swallowed and enter the airway  
H312: Harmful in contact with skin  
H315: Causes skin irritation  
H319: Causes serious eye irritation  
H332: Harmful if inhaled  
H336: May cause drowsiness or dizziness  
H340: May cause genetic defects  
H351: Suspected of causing cancer  
H361: Suspected to damaging fertility or the unborn child  
H373: Causes damage to organs through prolonged or repeated exposure  
H411: Toxic to aquatic life with long lasting effects

Precautionary statements:

P102: Keep out of reach of children  
P201: Obtain special instructions before use. READ SDS BEFORE USE  
P202: Do not handle until all safety precautions have been read and understood  
P210: Keep away from sparks and open flames- No smoking  
P240: Ground or bond container and receiving equipment  
P241: Use explosion-proof equipment  
P242 Use only non-sparking tools  
P243 Take precautionary measures against static discharge  
P260: Do not breathe vapors  
P264: Wash hands thoroughly after handling  
P270: Do not eat, drink or smoke when using this product  
P271: Use only outdoors or in well ventilated area  
P273: Avoid release to the environment  
P280: Wear protective gloves, clothing and eye protection

**16.6 Training advice:** None

**16.7 Further information:** None

# Cetanium

Compliant with Regulation (EU) No 830/2015  
Compliant with CLP Regulation (EU) No 1272/2008

**Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

Prepared by SJC Compliance Education, Inc  
16516 El Camino Real Suite 417  
Houston, TX 77062  
[VP@scedu.org](mailto:VP@scedu.org)

